

1/15

Fig. 1






Fig. 2



2/15

Fig. 3



09869719.062901

Fig. 4

	Example 1	Example 2	Example 3	Example 4	Example 5	Example 6
Twist angle θ_t	240°					255°
Δn	0.81 μm					0.76 μm
R2 Δn	520 nm	540 nm	550 nm	540 nm	550 nm	560 nm
R1 Δn	605 nm	615 nm	625 nm	140 nm	160 nm	180 nm
Angle formed by absorption axis and optical axis of R2 θ_1	25°					30°
Angle formed by optical axes of R1 and R2 θ_2	70°					70°
Brightness in reflection	32.5%	32.2%	32.9%	24%	25%	26%
Contrast	15	19	12	16	17	11

4/15

Fig. 5




Fig. 6




Fig. 7

	Example 7	Example 8	Example 9	Example 10	Example 11	Example 12
Twist angle θt	240°	240°	240°	240°	255°	255°
And	0.81 μm	0.81 μm	0.79 μm	0.79 μm	0.74 μm	0.74 μm
R2 And	650 nm	660 nm	610 nm	620 nm	550 nm	560 nm
R1 And	190 nm	180 nm	160 nm	170 nm	130 nm	120 nm
Angle formed by absorption axis and optical axis of R2 $\theta 1$	30°	30°	15°	15°	10°	10°
Angle formed by optical axes of R1 and R2 $\theta 2$	30°	30°	40°	40°	50°	50°
Brightness in reflection	31%	30%	32%	32%	44%	45%
Contrast	18	19	17	18	20	21

6/15

Fig. 8





Fig. 9



7/15

Fig. 10




Fig. 11






Fig. 12



8/15


Fig. 13



09869719-06901

9 / 15


F i g . 1 4




10/15

Fig. 15


(a)




(b)



(c)



(d)



09869719.062901

11/15

Fig. 16





Fig. 17



12/15

Fig. 18




Fig. 19





Fig. 20



09869719-000199

13/15

Fig. 21






Fig. 22



14/15

Fig. 23



09869719-062901

15 / 15

Fig. 24(a)




Fig. 24(b)




Fig. 24(c)

